

DIRECT INVITATION OF TENDERS

DY.CMM-D KOTA WEST CENTRAL RAILWAY invites Tenders to the supply of the following item,. Tenders are due for opening in this Office on 20-08-2009 at 14:30 PM .

The attention of Tenderers drawn to to the fact that they should clearly indicate in their Quotations,the Country of Origin,Maker's name Brand etc. of the material offered by them without which their quotations are liable to be ignored. They should only quote for the "UNIT" mentioned in the Tender List , otherwise their Quotations will not be considered .

Separate Quotations should be submitted for each item, otherwise their Quotations will not be considered.

The Tenders should be dropped in the Tender Box placed for this purpose in this office (DY.CMM-D KOTA WEST CENTRAL RAILWAY) only and not in the office of the Controller of Stores, Bombay ,C.S.T. which please note.

- 1). As List attached , Drawing & Sample can be seen in the office.
- 2). Firm to submit a copy of valid ITCC alongwith the quotations and put Rubber stamp of their sales tax. registration no. on Quotation with Gaurantee that Brand/Make of material will be supplied in original packing only.
- 3). 100% payment in advance will not be considered.
- 4). Payment after delivery against Receipt Note.
- 5). Inspection by Consignee / DY.CMM-D KOTA

DY.CMM-D KOTA

| Sr No | Tender No | PL No | Description | Quantity | Unit |
|-------|-----------|-------|---|----------|---------|
| 1 | 66095179 | 42 | Residual Current circuit Breaker Type AC,applicable in networks for AC residual currents (1 pole+N) Rated current 25 Amps, Rated residual current 30 mA. The original challen of accepted make should be submitted at the time of supply. Make- Siemens/Hager/ABB. | 20.000 | NOS./01 |
| 2 | 66095180 | 42 | Primary coils for BERCO make welding transformer of SE copper wire of 10 SWG Total No of turns of 10 SWG wire= 1 4 6 with tapping 1-7-15 and seven turns of copper - strip size 3.25X10.2 mm wrapped over 10 SWG coil wound in opposite directions and parallel connection. Total weight of coil for (14 6+7) turns:-6.57 Kgs.As per sample. | 6.000 | NOS./01 |
| 3 | 66095181 | 42 | Main contract kits (set of 6 fixed & 3 moving contracts) made of copper with silver tips suitable for Siemens make contractor 3TF47(70A). | 10.000 | NOS./01 |
| 4 | 66095182 | 42 | Main contact kits (set of 6 fixed & 3 moving contracts) made of copper with silver tips suitable for Siemens make contractor 3TF48(75A). | 10.000 | NOS./01 |
| 5 | 66095183 | 42 | Resodil current circuit breaker Type AC applicable in neytworks for AC residual currents 4 pole, Rated current 40 Amps rated residual current. 300 mA. The original challan of accepted make should be submitted at the time of supply. Make- 1. Siemens reference no.5SM16440 RC, 2.C&S Electrical reference no.CSRB 4P40A300, 3.MOELLER referance=PFIM-40/4/03-G Artical no.=23412. | 5.000 | NOS./01 |
| 6 | 66095184 | 42 | Operating coils suitable for Siemens make contractor 3TF56for 230 V AC 50 C/S. As per sample. | 3.000 | NOS./01 |
| 7 | 66095185 | 42 | Main contact kits (set of 6 fixed & 3 moving contracts) made of copper with silver tips suitable for Siemens make contractor 3TF46.(45A) | 10.000 | NOS./01 |
| 8 | 66095186 | 42 | Main contact kits (set if 6 fuxed & 3 moving contacts) made of copper with silver tips suitable for Siemens make contactor 3TF53(205A). | 5.000 | NOS./01 |
| 9 | 66095187 | 42 | Residual Current circuit Breaker Type AC, applicable in networks for AC residual currents (1 pole+N) Rated current (6 Amps), Rated residual current 30 mA. The original challan of accepted make should be submitted at the time of supply. Make - Siemens/Hager/ABB. | 10.000 | NOS./01 |
| 10 | 66095188 | 42 | Main contact kits (set of 6 fixed & 3 moving contacts) made of copper with silver tips suitable for Siemens make contactor 3TF47(63A). | 10.000 | NOS./01 |
| 11 | 66095190 | 42 | Main contact kits (set of 6 fixed & 3 moving contacts) made of copper with silver tips suitable for Siemens make contactor 3TF50(110A). | 8.000 | NOS./01 |

| Sr No | Tender No | PL No | Description | Quantity | Unit |
|-------|-----------|-------|--|----------|---------|
| 12 | 66095191 | 42 | Operating coils suitable for Siemens make contactor 3TF48 for 230 V AC 50 C/S :-05 Nos & for 110 V AC 50 C/S :-05 Nos.As per sample. | 10.000 | NOS./01 |
| 13 | 66095192 | 42 | Operating coils suitable for Siemens make contactor 3TF50 for 230 V AC 50 C/S :-03 Nos & for 110 V AC 50 C/S:-03 Nos. As per sample. | 6.000 | NOS./01 |
| 14 | 66095193 | 42 | Operating coils suitable for Siemens make contactor 3TF46/3TF47/3TF477 for 230 V AC 50 C/S :-05 Nos & for 110 V AC 50 C/S :-05 Nos. As per sample. | 10.000 | NOS./01 |
| 15 | 66095194 | 42 | Residual Current circuit Breaker Type AC, applicable in networks for AC 2 pole Rated current 63 Amps,Rated residual current 100 mA, for AC residual current. The original challan of accepted make should be submitted at the time of supply. Make- 1. Siemens referance no.5SM14160RC 2.C&S Electrical referance no. CSRB 2P63Amps 100 3. MOELLER referance =PFIM-63/2/01-235299. | 10.000 | NOS./01 |
| 16 | 66095195 | 42 | Main contact kits (set of 6 fixed & 3 moving contacts) made of copper with silver tips suitable for Siemens make contactor 3TF56(400A). | 3.000 | NOS./01 |

DY.CMM-D KOTA